

Declaration of Performance

LE/DoP-Nr. 060E/CPR/2024-07-15

1. Unique identification of the product type:

Mortise lock 12302
Mortise lock 12312
Mortise lock 12511
2. Intended use:

Mechanically operated locks, on application with an appropriate door closing device, for application on fire and / or smoke control doors.
3. Manufacturer:

Glutz Ltd.
Segetzstrasse 13
CH-4502 Solothurn
Switzerland
4. Authorised representative:

N/A
5. Systems of assessment of constancy of performance:

System 1
6. Harmonised standard:

EN 12209: 2003+AC:2006
- Notified body:

PfB Rosenheim NB-Nr. 1644 has issued the Certificate of constancy of performance with the number 057-1644-CPR-24-002 to system 1 and essential characteristics assessed from 7.1 to 7.4.
7. Declared performance:

| Essential characteristics | Performance | Harmonised technical specification |
|---|---|---|
| 7.1 Self-closing ability | Fulfilled, grade 5 (door mass up to 200kg, door closing force max. 25N) | 5.4.2 and 5.1.2, EN 12209: 2003+AC: 2006 |
| 7.2 Durability of self-closing action | Fulfilled, grade M (200'000 cycles, 25N load on latch bolt) | 5.3.1, EN 12209: 2003+AC: 2006 |
| 7.3 Ability to maintain door in closed position and not contribute to the spread of fire | Fulfilled (EI 30; EI 90) | 5.2.1 and 5.5, EN 12209: 2003+AC: 2006 |
| 7.4 Control of dangerous substances | - | 5.1.1, EN 12209: 2003+AC: 2006 |

8. The performance of the actual product is in conformity with the declared performance / performances. The issue of the declaration of performance complying with regulation (EU) nr. 305/2011 is under the sole responsibility of the above-named manufacturer.

Solothurn, 15.07.2024



Stefan Häni, Head of Development Mechanic